





Glass filament fabrics are made from E-glass fibre yarn that is used in production of reinforcements for composite materials. We currently produce 2 weave types – plain and twill. Glass filament fabrics are made in various grammages from 80 to 390 g/m², with a standard width of 100 – 160 cm. Fabrics are compatible with polyester and epoxy resins.

Product	Width	Weight	Warp	Weft	Warp	Weft	Weave
			Ends [1/cm]	Picks [1/cm]	Yarn [tex]	Yarn [tex]	
UTE 80P	100 cm	80 g/m ²	12,0	11,4	EC 9-34	EC 9-34	Plain
UTE 80T	100 cm	80 g/m ²	12,0	11,4	EC 9-34	EC 9-34	Twill 2/2
UTE 110P	100 cm	110 g/m ²	16,0	14,4	EC 9-34	EC 9-34	Plain
UTE110T	100 cm	110 g/m ²	16,0	14,4	EC 9-34	EC 9-34	Twill 2/2
UTE 110P	120 cm	110 g/m ²	16,0	14,4	EC 9-34	EC 9-34	Plain
UTE 120P	100 cm	120 g/m ²	9,6	8,0	EC 9-68	EC 9-68	Plain
UTE 120P	137 cm	120 g/m ²	9,6	8,0	EC 9-68	EC 9-68	Plain
UTE 140P	100 cm	140 g/m ²	7,4	6,4	EC 11-102	EC 11-102	Plain
UTE 163P	100 cm	163 g/m ²	12,0	11,4	EC 9-68	EC 9-68	Plain
UTE 163T	100 cm	163 g/m ²	12,0	11,4	EC 9-68	EC 9-68	Twill 2/2
UTE 165P	127 cm	165 g/m ²	14,0	9,8	EC 9-68	EC 9-68	Plain
UTE 195P	100 cm	195 g/m ²	8,0	6,0	EC 13-136	EC 13-136	Plain
UTE 165T	100 cm	195 g/m ²	8,0	6,0	EC 13-136	EC 13-136	Twill 2/2
UTE 200P	100 cm	200 g/m ²	16,0	12,8	EC 9-68	EC 9-68	Plain
UTE 211T	120 cm	211 g/m ²	18,8	12,0	EC 9-68	EC 9-68	Twill 2/2
UTE 220P	100 cm	220 g/m ²	12,0	4,8	EC 11-102	EC 11-204	Plain
UTE 280P	100 cm	280 g/m ²	8,0	6,0	EC 11-204	EC 11-204	Plain
UTE 280T	100 cm	280 g/m ²	8,0	6,0	EC 11-204	EC 11-204	Twill 2/2
UTE 306T	100 cm	306 g/m ²	12,0	11,0	EC 9-68	EC 11-204	Twill 2/2
UTE 390P	100 cm	390 g/m ²	7,4	6,8	EC 13-272	EC 13-272	Plain
UTE 390T	100 cm	390 g/m ²	7,4	6,8	EC 13-272	EC 13-272	Twill 2/2



Plain



Twill 2/2